CONTENTS OF VOLUME 57

THE UNIVERSITY OF IOWA
FEB 22 2002
LIBRARIES

Number 1

Graphical Abstracts vii

Protein Biochemistry
A serine endopeptidase from the fruits of *Melothria japonica* (Thunb.) Maxim. 1 T. Uchikoba, S. Hosoyamada, M. Onjyo, K. Arima, H. Yonezawa and M. Kaneda

Metabolism
Biosynthesis of the hemi- and monoterpene moieties of isoprenyl phenyl ethers from the liverwort *Trichocolea tomentella* 7 A. J. Barlow, H. Becker and K. P. Adam

Seasonal variation in the content of hydrolysable tannins in leaves of *Betula pubescens* 15 J.-P. Salminen, V. Ossipov, E. Haukioja and K. Pihlaja

The biosynthesis of benzoic acid glucosinolate esters in *Arabidopsis thaliana* 23 G. Graser, N. J. Oldham, P. D. Brown, U. Temp and J. Gershenzon

Tracer studies with ^{13}C-labeled carbohydrates in cultured plant cells. Retrobiosynthetic analysis of chelidonic acid biosynthesis 33 Z.-W. Shen, U. Fisinger, A. Poulev, W. Eisenreich, I. Werner, E. Pleiner, A. Bacher and M. H. Zenk

Equilibrium between basic nitrogen compounds in lupin seeds with differentiated alkaloid content 43 T. Aniszewski, D. Ciesiolka and K. Gulewicz

Transformation of naturally-occurring 1,9-*trans*-9,5-*cis* sweroside to all *trans* sweroside during acetylation of sweroside aglycone 51 M. M. Horn, S. E. Drewes, N. J. Brown, O. Q. Munro, J. J. M. Meyer and A. D. M. Mathekga

Ecological Biochemistry
Insecticidal flavaglines and other compounds from Fijian *Aglaia* species 57 H. Greger, T. Pacher, B. Brem, M. Bacher and O. Hofer

Chemotaxonomy
The essential oil of *Origanum vulgare* L. ssp. *vulgare* growing wild in Vilnius district (Lithuania) 65 D. Mockute, G. Bernotiene and A. Judzentiene

Variability of essential oils of *Satureja montana* L. and *Satureja kitaibelii* Wierzb. ex Heuff. from the central part of the Balkan peninsula 71 V. Slavkovska, R. Jancic, S. Bojovic, S. Milosavljevic and D. Djokovic

Prenylated flavonoids from *Deguelia hatschbachii* and their systematic significance in *Deguelia* 77 A. F. Magalhães, A. M. G. A. Tozzi, E. G. Magalhães and V. R. de Souza Moraes

Bioactive Products
Effect of (+)-pulegone and other oil components of *Mentha×piperita* on cucumber respiration 91 M. Mucciarelli, W. Camusso, C. M. Bertea, S. Bossi and M. Maffei

Antifungal activity of the essential oil of flowerheads of garland chrysanthemum (*Chrysanthemum coronarium*) against agricultural pathogens 99 P. P. Alvarez-Castellanos, C. D. Bishop and M. J. Pascual-Villalobos

A sesquiterpene drimane with antinociceptive activity from *Drimys winteri* bark 103 A. Malheiros, V. C. Filho, C. B. Schmitt, A. R. S. Santos, C. Scheidt, J. B. Calixto, F. D. Monache and R. A. Yunes

Allelopathic sesquiterpenoids from rhizomes of *Petasites japonicus* ssp. *giganteus* Kitam 109 Y. Goto, Y. Kojima, T. Nakayama and M. Terazawa

Chemistry
Cuticular waxes on *eceriferum* mutants of *Arabidopsis thaliana* 115 A. M. Rashotte, M. A. Jenks and K. A. Feldmann

Melampolides from *Enydra anagallis* 125 A. Bardón, L. Cardona, E. Cartagena, C. A. N. Catalán and J. R. Pedro

ent-Pimarane derivatives from *Dysoxylum hainanense* 131 X.-D. Luo, S.-H. Wu, Y.-B. Ma and D.-G. Wu

Terpenoids and γ-pyrone derivatives from *Prangos tschimganica* 135 Y. Shikishima, Y. Takaishi, G. Honda, M. Ito, Y. Takeda, O. K. Kodzhimatov and O. Ashurmetov

PII: S0031-9422(01)00349-1

Book Reviews
Root Methods: A Handbook, edited by A. L. Smit, A. G. Bengough, C. Engels, M. van Noordwijk, S. Pellerin and S. C. van de Geijn — 143 D. Strack

ChemOffice Ultra 2000, by CambridgeSoft — 144 D. Strack

Number 2

Graphical Abstracts — vii

Editorial Comment
Phytochemistry in the genomics and post-genomics eras — 145 R. A. Dixon

Protein Biochemistry
Inhibition of polygalacturonase from *Verticillium dahliae* by a polygalacturonase inhibiting protein from cotton — 149 J. T. James and I. A. Dubery

Cell-wall proteins from Sitka spruce xylem are selectively insolubilised during formation of dehydrogenation polymers of coniferyl alcohol — 157 G. J. McDougall

Metabolism
Biosynthesis of diaporthin and orthosporin by *Aspergillus ochraceus* — 165 J. P. Harris and P. G. Mantle

Accumulation of 6-deoxocathasterone and 6-deoxocastasterone in *Arabidopsis*, pea and tomato is suggestive of common rate-limiting steps in brassinosteroid biosynthesis — 171 T. Nomura, T. Sato, G. J. Bishop, Y. Kamiya, S. Takatsuto and T. Yokota

Metabolism of indole-3-acetic acid by orange (*Citrus sinensis*) flavedo tissue during fruit development — 179 J. Chamarro, A. Östin and G. Sandberg

The uptake and speciation of various Al species in the *Brassica rapa pekinensis* — 189 T. B. Polak, R. Milačič, B. Pihlar and B. Mitrović

Biotransformation of (*R*)-(+)- and (*S*)-(−)-limonene by fungi and the use of solid phase microextraction for screening — 199 J. C. R. Demyttenaere, K. Van Belleghem and N. De Kimpe

Ecological Biochemistry
Comprehensive chemical profiling of gramineous plant root exudates using high-resolution NMR and MS — 209 T. W.-M. Fan, A. N. Lane, M. Shenker, J. P. Bartley, D. Crowley and R. M. Higashi

Phytoalexins from *Pinus strobus* bark infected with pinewood nematode, *Bursaphelenchus xylophilus* — 223 F. Hanawa, T. Yamada and T. Nakashima

Synergism between the potato glycoalkaloids α-chaconine and α-solanine in inhibition of snail feeding — 229 D. B. Smith, J. G. Roddick and J. L. Jones

Chemotaxonomy
A chemotaxonomic investigation of volatile constituents in *Stachys* subsect. Swainsonianeae (Labiatae) — 235 H. D. Skaltsa, A. Mavrommati and T. Constantinidis

Essential oils from Azorean *Laurus azorica* — 245 L. G. Pedro, P. A. G. Santos, J. A. da Silva, A. C. Figueiredo, J. G. Barroso, S. G. Deans, A. Looman and J. J. C. Scheffer

Bioactive Products
Cyclolinopeptides F–I, cyclic peptides from linseed — 251 T. Matsumoto, A. Shishido, H. Morita, H. Itokawa and K. Takeya

Jesterone and hydroxy-jesterone antioomycete cyclohexenone epoxides from the endophytic fungus *Pestalotiopsis jesteri* — 261 J. Y. Li and G. A. Strobel

Chemistry
Sesquiterpene lactones and a myoinositol from glandular trichomes of *Viguiera quinqueremis* (Heliantheae; Asteraceae) — 267 O. Spring, R. Zipper, S. Reeb, B. Vogler and F. B. Da Costa

Benzopyran derivatives from *Mallotus apelta* — 273 T. An, L. Hu, X. Cheng and Z. Chen

Nemorosone, the major constituent of floral resins of *Clusia rosea* — 279 O. Cuesta-Rubio, H. Velez-Castro, B. A. Frontana-Uribe and J. Cárdenas

Minor constituents of *Spigelia anthelmia* and their cardiac activities 285 H. Hübner, W. Vierling, W. Brandt, M. Reiter and H. Achenbach

Flavonoid glucuronides from *Helicteres isora* 297 K. Kamiya, Y. Saiki, T. Hama, Y. Fujimoto, H. Endang, M. Umar and T. Satake

Rapid detection of chlorinated bisbibenzyls in *Bazzania trilobata* using MALDI-TOF mass spectrometry 303 A. Speicher, K. Hollemeyer and E. Heinzle

Pacifigorgianes and tamariscene as constituents of *Frullania tamarisci* and *Valeriana officinalis* 307 C. Paul, W. A. König and H. Muhle

Book Reviews
The Wealth of India, First Supplement, Volume 1, edited by R. Kochhar 315 J. B. Harborne

African Traditional Medicine, by H.D. Neuwinger 315 M. Wink

Corrigendum
Pyrrolizidine alkaloids from *Cynoglossum creticum* [Phytochemistry 42 (1996) 1217–1221] 317 A. El-Shazly, T. Sarg, L. Witte and M. Wink

Number 3

Graphical Abstracts vii

Molecules of Interest
The latest hype on Hyp-*O*-glycosylation codes 319 M. J. Kieliszewski

Review
Phytoecdysteroids: biological aspects 325 L. Dinan

Protein Biochemistry
Enzymatic halogenation of flavanones and flavones 341 P. Yaipakdee and L. W. Robertson

Purification and characterization of isoforms of β-galactosidases in mung bean seedlings 349 S.-C. Li, J.-W. Han, K.-C. Chen and C.-S. Chen

Metabolism
Biosynthesis of 2-aminobenzaldehyde in flowers of *Robinia pseudoacacia* and *Philadelphus coronarius* 361 P. Spiteller and W. Steglich

Ginsenoside production in different phenotypes of *Panax ginseng* transformed roots 365 A. Mallol, R. M. Cusidó, J. Palazón, M. Bonfill, C. Morales and M. T. Piñol

Studies on the biosynthesis of 2-hydroxy-1,4-benzoxazin-3-one (HBOA) from 3-hydroxyindolin-2-one in *Zea mays* 373 P. Spiteller, E. Glawischnig, A. Gierl and W. Steglich

Biotransformation of squamulosone by *Curvularia lunata* ATCC 12017 377 D. O. Collins, G. O. Buchanan, W. F. Reynolds and P. B. Reese

Ecological Biochemistry
Blend effects in the toxicity of the essential oil constituents of *Ocimum kilimandscharicum* and *Ocimum kenyense* (Labiateae) on two post-harvest insect pests 385 J. Bekele and A. Hassanali

Identification and ecdysteroid antagonist activity of three oligostilbenes from the seeds of *Carex pendula* (Cyperaceae) 393 Y. Meng, P. C. Bourne, P. Whiting, V. Šik and L. Dinan

Ecdysteroids and bufadienolides from *Helleborus torquatus* (Ranunculaceae) 401 Y. Meng, P. Whiting, V. Šik, H. H. Rees and L. Dinan

Induced emissions of apple fruit volatiles by the codling moth: changing patterns with different time periods after infestation and different larval instars 409 A. Hern and S. Dorn

Methyl jasmonate increases reported alkamides and ketoalkene/ynes in *Echinacea pallida* (Asteraceae) 417 S. E. Binns, I. Inparajah, B. R. Baum and J. T. Arnason

Bioactive Products
Antiplatelet activity of *N*-methoxycarbonyl aporphines from *Rollinia mucosa* 421 R.-Y. Kuo, F.-R. Chang, C.-Y. Chen, C.-M. Teng, H.-F. Yen and Y.-C. Wu

Benzyl isothiocyanate is the chief or sole anthelmintic in papaya seed extracts 427 R. Kermanshai, B. E. McCarry, J. Rosenfeld, P. S. Summers, E. A. Weretilnyk and G. J. Sorger

Lipophyllic antioxidants from *Iryanthera juruensis* fruits 437 D. H. S. Silva, F. C. Pereira, M. V. B. Zanoni and M. Yoshida

Chemistry

Volatile constituents in mosses (Musci) 443 Y. Saritas, M. M. Sonwa, H. Iznaguen, W. A. König, H. Muhle and R. Mues

High molecular weight lipids from the trilaminar outer wall (TLS)-containing microalgae *Chlorella emersonii*, *Scenedesmus communis* and *Tetraedron minimum* 459 B. Allard and J. Templier

Triterpenoid saponins from the stem bark of *Elattostachys apetala* 469 C. Lavaud, M.-L. Crublet, I. Pouny, M. Litaudon and T. Sévenet

Hydroquinone derivatives and monoterpenoids from the Neotropical liverwort *Plagiochila rutilans* 479 D. S. Rycroft and W. J. Cole

Application of MS and NMR to the structure elucidation of complex sugar moieties of natural products: exemplified by the steroidal saponin from *Yucca filamentosa* L. 489 A. Plock, G. Beyer, K. Hiller, E. Gründemann, E. Krause, M. Nimtz and V. Wray

Book Reviews

Soil Biochemistry Volume 10, edited by J.-M. Bollag and G. Stotzky 497 R. G. Burns

Studies in Natural Products Chemistry, Vol. 21: Bioactive Natural Products (Part B), edited by Atta-ur-Rahman 497 K. Hostettmann

Number 4

Graphical Abstracts vii

Terpenoids

Sesquiterpene hydrocarbons with trifarane backbone in the liverwort *Trocholejeunea sandvicensis* 499 M. Mekem Sonwa, W. A. König, E. H. Lahlou and Y. Asakawa

Pregnene derivatives from *Solenostemma argel* leaves 507 H. A. Hassan, A. I. Hamed, N. A. El-Emary, I. V. Springuel, H. Mitome and H. Miyaoka

An eudesmanolide and a carotane from *Ferula sinaica* 513 A. A. Ahmed, M. H. Abdel-Razek, M. I. Nassar, S. Izumi, S. Ohta and T. Hirata

Furanoditerpenoid lactones from the seeds of *Caesalpinia minax* Hance 517 R.-W. Jiang, P. P. H. But, S.-C. Ma and T. C. W. Mak

Guaianolides from *Cichorium intybus* and structure revision of *Cichorium* sesquiterpene lactones 523 W. Kisiel and K. Zielińska

(*S*)-12-Hydroxygeranylgeraniol-derived diterpenes from the brown alga *Bifurcaria bifurcata* 529 G. Culioli, M. Daoudi, A. Ortalo-Magné, R. Valls and L. Piovetti

Diterpenes from the bark and seeds of *Colophospermum mopane* 537 P. P. Mebe

Phenolics

Flavonoids from *Aconitum napellus* subsp. *neomontanum* 543 G. Fico, A. Braca, N. De Tommasi, F. Tomè and I. Morelli

Quercetin 3,3′,4′-tri-*O*-β-D-glucopyranosides from leaves of *Eruca sativa* (Mill.) 547 B. Weckerle, K. Michel, B. Balázs, P. Schreier and G. Tóth

Natural and synthetic benzophenones: interaction with the cytosolic binding domain of P-glycoprotein 553 S. Rancon, A. Chaboud, N. Darbour, G. Comte, C. Bayet, P.-N. Simon, J. Raynaud, A. Di Pietro, P. Cabalion and D. Barron

Two flavonoids and other compounds from the aerial parts of *Centaurea bracteata* from Italy 559 G. Flamini, E. Antognoli and I. Morelli

The flavonoids of leek, *Allium porrum* 565 E. Fattorusso, V. Lanzotti, O. Taglialatela-Scafati and C. Cicala

Flavones and phenylpropenoids in the surface exudate of *Psiadia punctulata* 571 B. F. Juma, A. Yenesew, J. O. Midiwo and P. G. Waterman

Kaempferol triosides from *Reseda muricata* 575 N. H. El-Sayed, N. M. Omara, A. K. Yousef, A. M. Farag and T. J. Mabry

Biflavonoids from *Ochna afzelii* 579 D. E. Pegnyemb, R. G. Tih, B. L. Sondengam, A. Blond and B. Bodo

Oxanthrone esters from the aerial parts of *Cassia kleinii* 583 S. J. Anu and J. M. Rao

Ellagic acid rhamnosides from the stem bark of *Eucalyptus globulus* 587 J.-P. Kim, I.-K. Lee, B.-S. Yun, S.-H. Chung, G.-S. Shim, H. Koshino and I.-D. Yoo

Alkaloids
Furomegistines I and II, two furanopyridine alkaloids from the bark of *Sarcomelicope megistophylla* 593 N. Fokialakis, P. Magiatis, N. Aligiannis, S. Mitaku, F. Tillequin and T. Sévenet

Alkaloids from *Haplophyllum tuberculatum* 597 A. J. Al-Rehaily, T. A. Al-Howiriny, M. S. Ahmad, M. A. Al-Yahya, F. S. El-Feraly, C. D. Hufford and A. T. McPhail

Methyl chanofruticosinates from leaves of *Kopsia flavida* Blume 603 K. Husain, I. Jantan, N. Kamaruddin, I. M. Said, N. Aimi and H. Takayama

General Chemistry
Polyhalogenated homosesquiterpenic fatty acids from *Plocamium cartilagineum* 607 T. Řezanka and V. M. Dembitsky

Nostocyclamide M: a cyanobacterial cyclic peptide with allelopathic activity from *Nostoc* 31 613 F. Jüttner, A. K. Todorova, N. Walch and W. von Philipsborn

Number 5

Graphical Abstracts ix

Editorial comment
Global phytochemistry: the Brazilian approach 621 M. J. Kato

Protein Biochemistry
Primary sequence determination of a Kunitz inhibitor isolated from *Delonix regia* seeds 625 S. C. Pando, M. L. V. Oliva, C. A. M. Sampaio, L. Di Ciero, J. C. Novello and S. Marangoni

Vanadium haloperoxidases from brown algae of the Laminariaceae family 633 M. Almeida, S. Filipe, M. Humanes, M. F. Maia, R. Melo, N. Severino, J. A. L. da Silva, J. J. R. Fraústo da Silva and R. Wever

Molecular Genetics and Genomics
Endoplasmic oleoyl-PC desaturase references the second double bond 643 J. L. Schwartzbeck, S. Jung, A. G. Abbott, E. Mosley, S. Lewis, G. L. Pries and G. L. Powell

Metabolism
Main glucosidase conversion products of the gluco-alkaloids dolichantoside and palicoside 653 V. Brandt, M. Tits, J. Penelle, M. Frédérich and L. Angenot

Structure of fructans from excised leaves of New Zealand flax 661 I. M. Sims, A. J. Cairns and R. H. Furneaux

Biotransformation of (+)- and (−)-camphorquinones by plant cultured cells 669 W. Chai, H. Hamada, J. Suhara and C. A. Horiuchi

Biotransformation of geranyl acetate to geraniol during palmarosa (*Cymbopogon martinii*, Roxb. wats. var. *motia*) inflorescence development 675 V. S. Dubey and R. Luthra

Ecological Biochemistry
Seasonal variation of monoterpene emission from *Malus domestica* and *Prunus avium* 681 F. Rapparini, R. Baraldi and O. Facini

Botrydial is produced in plant tissues infected by *Botrytis cinerea* 689 N. Deighton, I. Muckenschnabel, A. J. Colmenares, I. G. Collado and B. Williamson

Identification of glucosinolates on the leaf surface of plants from the Cruciferae and other closely related species 693 D. W. Griffiths, N. Deighton, A. N. E. Birch, B. Patrian, R. Baur and E. Städler

Antioxidant enzymes responses to cadmium in radish tissues 701 A. P. Vitória, P. J. Lea and R. A. Azevedo

Chemotaxonomy
3-*O*-Methyl-D-galactose residues in lycophyte primary cell walls 711 Z. A. Popper, I. H. Sadler and S. C. Fry

Dihydroxynortropane alkaloids from calystegine-producing plants 721 N. Asano, K. Yokoyama, M. Sakurai, K. Ikeda, H. Kizu, A. Kato, M. Arisawa, D. Höke, B. Dräger, A. A. Watson and R. J. Nash

Fatty acid profiles and their chemotaxonomy in planktonic species of *Anabaena* (Cyanobacteria) with straight trichomes 727 R. Li and M. M. Watanabe

Chemical variability in the essential oil of *Hyptis suaveolens* 733 N. R. Azevedo, I. F. P. Campos, H. D. Ferreira, T. A. Portes, S. C. Santos, J. C. Seraphin, J. R. Paula and P. H. Ferri

3′,5′-Di-*C*-β-glucopyranosylphloretin, a flavonoid character-istic of the genus *Fortunella* 737 K. Ogawa, A. Kawasaki, M. Omura, T. Yoshida, Y. Ikoma and M. Yano

Bioactive Products
Antifungal polysulphides from *Petiveria alliacea* L. 743 P. J. C. Benevides, M. C. M. Young, A. M. Giesbrecht, N. F. Roque and V. S. Bolzani

Chemistry
Endogenous gibberellins in immature seeds of *Prunus persica* L.: identification of GA_{118}, GA_{119}, GA_{120}, GA_{121}, GA_{122} and GA_{126} 749 M. Nakayama, M. Koshioka, H. Matsui, H. Ohara, L. N. Mander, S. K. Leitch, B. Twitchin, P. Kraft-Klaunzer, R. P. Pharis and T. Yokota

Occurrence of cadaverine in hairy roots of *Brugmansia candida* 759 C. N. Carrizo, S. I. Pitta-Alvarez, M. J. Kogan, A. M. Giulietti and M. L. Tomaro

The phenolic fraction of maize bran: evidence for lignin-heteroxylan association 765 C. Lapierre, B. Pollet, M.-C. Ralet and L. Saulnier

Triterpene glycosides from the roots of *Sanguisorba officinalis* 773 Y. Mimaki, M. Fukushima, A. Yokosuka, Y. Sashida, S. Furuya and H. Sakagami

Investigation of Uña De Gato I. 7-Deoxyloganic acid and ^{15}N NMR spectroscopic studies on pentacyclic oxindole alkaloids from *Uncaria tomentosa* 781 I. Muhammad, D. C. Dunbar, R. A. Khan, M. Ganzera and I. A. Khan

Sterol composition of *Aureoumbra lagunensis*, the Texas brown tide alga 787 J.-L. Giner, X. Li and G. L. Boyer

Influence of *trans-cis* isomerisation of coumaric acid substituents on colour variance and stabilisation in anthocyanins 791 F. George, P. Figueiredo, K. Toki, F. Tatsuzawa, N. Saito and R. Brouillard

Book reviews
Bioactive Compounds from Natural Sources: Isolation, Characterisation and Biological Properties, Edited by C. Tringali 797 R. J. Nash

Molecular and Supramolecular Chemistry of Natural Products and Their Model Compounds, Edited by J.-H. Fuhrhop and C. Endisch 797 S. Cutting

Corrigendum
Corrigendum to "Sesquiterpene coumarins and sesquiterpenes from *Ferula sinaica*" [Phytochemistry 50 (1999) 109–112] 799 A. A. Ahmed

Erratum
Erratum to "7β-Oxygenated limonoids from *Trichilia elegans* ssp. *elegans*" [Phytochemistry 55 (2000) 733–740] 801 F. R. Garcez, W. S. Garcez, N. F. Roque, E. E. Castellano and J. Zukerman-Schpector

Number 6

Graphical Abstracts vii

Editorial
Special Issues Devoted to the Biosynthesis of Woody Plant Biopolymers and Related Substances 803 N. G. Lewis and G. P. Bolwell

Editorial comment

The Holy Grail of wood evolution — from wood anatomy to tissue-specific gene expression: to what extent do molecular studies of biosynthesis of cell wall biopolymers help the understanding of the evolution of woody species? 805 G. P. Bolwell, A. M. Patten and N. G. Lewis

Structural and Anatomical Aspects

Approaches to understanding the functional architecture of the plant cell wall 811 M. C. McCann, M. Bush, D. Milioni, P. Sado, N. J. Stacey, G. Catchpole, M. Defernez, N. C. Carpita, H. Hofte, P. Ulvskov, R. H. Wilson and K. Roberts

Sucrose synthase localizes to cellulose synthesis sites in tracheary elements 823 V. V. Salnikov, M. J. Grimson, D. P. Delmer and C. H. Haigler

Cell-wall architecture and lignin composition of wheat developed in a microgravity environment 835 L. H. Levine, A. G. Heyenga, H. G. Levine, J.-W. Choi, L. B. Davin, A. D. Krikorian and N. G. Lewis

Induced compression wood formation in Douglas fir (*Pseudotsuga menziesii*) in microgravity 847 M. Kwon, D. L. Bedgar, W. Piastuch, L. B. Davin and N. G. Lewis

Review

Lignification and lignin topochemistry — an ultrastructural view 859 L. A. Donaldson

Reassessment of qualitative changes in lignification of transgenic tobacco plants and their impact on cell wall assembly 875 K. Ruel, M. Chabannes, A.-M. Boudet, M. Legrand and J.-P. Joseleau

Dirigent proteins and dirigent sites in lignifying tissues 883 V. Burlat, M. Kwon, L. B. Davin and N. G. Lewis

In situ hybridization and immunolocalization of lignan reductases in woody tissues: implications for heartwood formation and other forms of vascular tissue preservation 899 M. Kwon, L. B. Davin and N. G. Lewis

Biosynthesis and subcellular distribution of hydrolyzable tannins 915 P. Grundhöfer, R. Niemetz, G. Schilling and G. G. Gross

Chemistry: Carbohydrates

Review

Pectins: structure, biosynthesis, and oligogalacturonide-related signaling 929 B. L. Ridley, M. A. O'Neill and D. Mohnen

Pectic polysaccharide rhamnogalacturonan II is covalently linked to homogalacturonan 969 T. Ishii and T. Matsunaga

Chemistry: Phenolics and Lipids

Cell wall biosynthesis: glycan containing oligomers in developing cotton fibers, cotton fabric, wood and paper 975 A. K. Murray, R. L. Nichols and G. F. Sassenrath-Cole

Bonding of hydroxycinnamic acids to lignin: ferulic and *p*-coumaric acids are predominantly linked at the benzyl position of lignin, not the β-position, in grass cell walls 987 T. B. T. Lam, K. Kadoya and K. Iiyama

Elucidation of new structures in lignins of CAD- and COMT-deficient plants by NMR 993 J. Ralph, C. Lapierre, J. M. Marita, H. Kim, F. Lu, R. D. Hatfield, S. Ralph, C. Chapple, R. Franke, M. R. Hemm, J. Van Doorsselaere, R. R. Sederoff, D. M. O'Malley, J. T. Scott, J. J. MacKay, N. Yahiaoui, A.-M. Boudet, M. Pean, G. Pilate, L. Jouanin and W. Boerjan

Acidolysis and hot water extraction provide new insights into the composition of the induced "lignin-like" material from squash fruit 1005 R. R. Stange Jr., J. Ralph, J. Peng, J. J. Sims, S. L. Midland and R. E. McDonald

A heartwood pigment in *Dalbergia* cell cultures 1013 M. Czakó and L. Márton

Structure and stereochemistry of triflavanoids containing both ether and carbon–carbon interflavanyl bonds 1023 L. Bennie, J. Coetzee, E. Malan and D. Ferreira

NMR studies of molecular structure in fruit cuticle polyesters 1035 X. Fang, F. Qiu, B. Yan, H. Wang, A. J. Mort and R. E. Stark

Number 7

Graphical Abstracts vii

Editorial
Special Issues Devoted to the Biosynthesis of Woody Plant Biopolymers and Related Substances 1043 N. G. Lewis and G. P. Bolwell

Protein Biochemistry and Metabolism: Carbohydrates
Insight into multi-site mechanisms of glycosyl transfer in (1→4)β-D-glycans provided by the cereal mixed-linkage (1→3),(1→4)β-D-glucan synthase 1045 M. S. Buckeridge, C. E. Vergara and N. C. Carpita

Differential behaviour of four plant polysaccharide synthases in the presence of organic solvents 1055 M. E. Kerry, A. C. E. Gregory and G. P. Bolwell

Oxidative pentose phosphate pathway and pyridine nucleotides in relation to heartwood formation in *Robinia pseudoacacia* L. 1061 E. A. Magel, C. Hillinger, T. Wagner and W. Höll

Protein Biochemistry and Metabolism: Phenolics, Lipids and Terpenoids
Review
The biosynthesis of monolignols: a "metabolic grid", or independent pathways to guaiacyl and syringyl units? 1069 R. A. Dixon, F. Chen, D. Guo and K. Parvathi

Coniferyl alcohol metabolism in conifers — I. Glucosidic turnover of cinnamyl aldehydes by UDPG: coniferyl alcohol glucosyltransferase from pine cambium 1085 V. Steeves, H. Förster, U. Pommer and R. Savidge

Coniferyl alcohol metabolism in conifers — II. Coniferyl alcohol and dihydroconiferyl alcohol biosynthesis 1095 R. A. Savidge and H. Förster

Oxidation of cinnamyl alcohols and aldehydes by a basic peroxidase from lignifying *Zinnia elegans* hypocotyls 1105 A. Ros Barceló and F. Pomar

The poly(phenolic) domain of potato suberin: a non-lignin cell wall bio-polymer 1115 M. A. Bernards and F. A. Razem

Review
Similarities and differences in rubber biochemistry among plant species 1123 K. Cornish

Molecular Genetics and Genomics
Review
Structure–function characterization of cellulose synthase: relationship to other glycosyltransferases 1135 I. M. Saxena, R. M. Brown Jr. and T. Dandekar

Transcriptional control of lignin biosynthesis by tobacco LIM protein 1149 A. Kawaoka and H. Ebinuma

Antisense and sense expression of cDNA coding for CYP73A15, a class II cinnamate 4-hydroxylase, leads to a delayed and reduced production of lignin in tobacco 1159 K. Blee, J. W. Choi, A. P. O'Connell, S. C. Jupe, W. Schuch, N. G. Lewis and G. P. Bolwell

Repression of *O*-methyltransferase genes in transgenic tobacco affects lignin synthesis and plant growth 1167 G. Pinçon, S. Maury, L. Hoffmann, P. Geoffroy, C. Lapierre, B. Pollet and M. Legrand

Caffeoyl coenzyme A *O*-methyltransferase and lignin biosynthesis 1177 Z.-H. Ye, R. Zhong, W. H. Morrison III and D. S. Himmelsbach

Two cinnamoyl-CoA reductase (CCR) genes from *Arabidopsis thaliana* are differentially expressed during development and in response to infection with pathogenic bacteria 1187 V. Lauvergeat, C. Lacomme, E. Lacombe, E. Lasserre, D. Roby and J. Grima-Pettenati

Number 8

Graphical Abstracts vii

Terpenoids
Sesquiterpene lactones from *Smyrnium olusatrum* 1197 A. A. El-Gamal

Monoterpene coumarins from *Ferula ferulago* 1201 M. H. A. El-Razek, S. Ohta, A. A. Ahmed and T. Hirata

Quassinoids from *Eurycoma harmandiana* 1205 T. Kanchanapoom, R. Kasai, P. Chumsri and K. Yamasaki

Three clerodane diterpenoids from *Croton eluteria* Bennett 1209 C. Vigor, N. Fabre, I. Fourasté and C. Moulis

Penicillosides A–C, C-15 oxypregnane glycosides from *Caralluma penicillata* 1213 E. Abdel-Sattar, M. Abdul-Aziz Al-Yahya, N. Nakamura and M. Hattori

A steroidal saponin from the seeds of *Allium tuberosum* 1219 Z.-M. Zou, D.-Q. Yu and P.-Z. Cong

Phenolics

Acylated apigenin glycosides from alfalfa (*Medicago sativa* L.) var. Artal 1223 A. Stochmal, A. M. Simonet, F. A. Macias, M. A. Oliveira, J. M. Abreu, R. Nash and W. Oleszek

Benzopyrans from *Hypericum polyanthemum* 1227 A. B. F. Ferraz, S. A. L. Bordignon, C. Staats, J. Schripsema and G. Lino von Poser

Diels–Alder type adducts from *Morus cathayana* 1231 R.-C. Shen and M. Lin

Benzophenone *O*-glucoside, a biogenic precursor of 1,3,7-trioxygenated xanthones in *Hypericum annulatum* 1237 G. M. Kitanov and P. T. Nedialkov

Lignan and phenylpropanoid glycosides from *Fernandoa adenophylla* 1245 T. Kanchanapoom, R. Kasai and K. Y. Yamasaki

Flavonoid ketohexosefuranosides from the leaves of *Crataegus pinnatifida* Bge. var. *major* N.E.Br. 1249 P.-C. Zhang and S.-X. Xu

Chemical constituents from *Dendrobium densiflorum* 1255 C. Fan, W. Wang, Y. Wang, G. Qin and W. Zhao

Acylated flavonoid glycosides from *Bassia muricata* 1259 M. S. Kamel, K. M. Mohamed, H. A. Hassanean, K. Ohtani, R. Kasai and K. Yamasaki

Isoflavonoid glycosides from *Dalbergia sissoo* 1263 S. F. Farag, A. S. Ahmed, K. Terashima, Y. Takaya and M. Niwa

Alkaloids

Pyrrolizidine alkaloids from *Ageratum houstonianum* Mill 1269 H. Wiedenfeld and A. Andrade-Cetto

Indole alkaloids from the seeds of *Centaurea cyanus* (Asteraceae) 1273 S. D. Sarker, A. Laird, L. Nahar, Y. Kumarasamy, M. Jaspars

Haplophytin-A and B: the alkaloidal constituents of *Haplophyllum acutifolium* 1277 M. S. Ali, M. K. Pervez, M. Saleem and R. B. Tareen

General Chemistry

Minor cytotoxic and antibacterial compounds from the rhizomes of *Amomum aculeatum* 1281 J. Heilmann, R. Brun, S. Mayr, T. Rali and O. Sticher

An ellagic compound and iridoids from *Cornus capitata* root cultures 1287 N. Tanaka, T. Tanaka, T. Fujioka, H. Fujii, K. Mihashi, K. Shimomura and K. Ishimaru